Discrete Mathematics 97 (1991) 425–426
North-Holland

Author index to volume 97 (1991)

Alspach, B. and D. Hare, Edge-pancyclic block-intersection graphs (1–3) 17– 24
Arasu, K.T., D. Jungnickel and A. Pott, Symmetric divisible designs with $k - \lambda_1 = 1$ (1–3) 25– 28
Arasu, K.T. and A. Pott, Some constructions of group divisible designs with Singer groups (1–3) 39– 45
Bennett, F.E. and H. Shen, On indecomposable pure Mendelsohn triple systems (1–3) 47– 57
Beutelspacher, A., A combinatorial characterization of geometric spreads (1–3) 59– 62
Blokhuis, A., A. Brouwer and H. Wilbrink, Hermitian unitals are code words (1–3) 63– 68
Brouwer, A., see Blokhuis, A. (1–3) 63– 68
Caccetta, L. and K. Vijayan, Long cycles in subgraphs with prescribed minimum degree (1–3) 69– 81
Cameron, P.J., Covers of graphs and EGQs (1–3) 83– 92
Chee, Y.M. and G.F. Royle, The 2-rotational Steiner triple systems of order 25 (1–3) 93–100
Chetwynd, A.G. and A.J.W. Hilton, Outline symmetric latin squares (1–3) 101–117
Colbourn, C.J. and A. Hartman, Intersections and supports of quadruple systems (1–3) 119–137
Colbourn, C.J., D.G. Hoffman and C.A. Rodger, Directed star decompositions of directed multigraphs (1–3) 139–148
de Resmini, M.J., Some naive constructions of $S(2, 3, v)$ and $S(2, 4, v)$ (1–3) 149–153
de Vroedt, C., On the maximum cardinality of binary constant weight codes with prescribed distance (1–3) 155–160
de Vroedt, C., Über einen Satz von Köhler (1–3) 161–165
Du, B., see Zhu, L. (1–3) 409–417
Fuji-Hara, R. and S. Kuriki, Mutually balanced nested designs (1–3) 167–176
Furino, S., Difference families from rings (1–3) 177–190
Gionfriddo, M., F. Milazzo and V. Vacirca, Transitive multipermutation graphs: case $4 \leqslant n \leqslant m$ (1–3) 191–198
Grannell, M.J., T.S. Griggs and J.S. Phelan, On infinite Steiner systems (1–3) 199–202
Griggs, T.S., see Grannell, M.J. (1–3) 199–202
Halin, R., Tree-partitions of infinite graphs (1–3) 203–217
Harborth, H., Plane four-regular graphs with vertex-to-vertex unit triangles (1–3) 219–222
Hare, D., see Alspach, B. (1–3) 17– 24
Hartman, A., see Colbourn, C.J. (1–3) 119–137
Heinrich, K., Simple direct constructions for hybrid triple designs (1–3) 223–227
Hilton, A.J.W., see Chetwynd, A.G. (1–3) 101–117
Hirschfeld, J.W.P. and T. Szőnyi, Sets in a finite plane with few intersection numbers and a distinguished point (1–3) 229–242
Hoffman, D.G., see Colbourn, C.J. (1–3) 139–148
Hoffman, D.G. and P.J. Schellenberg, The existence of C_k-factorizations of $K_{2n} - F$ (1–3) 243–250
Horton, J.D. and G.M. Nonay, Self-orthogonal Hamilton path decompositions (1–3) 251–264
Janko, Z. and V.D. Tonchev, Cyclic 2-(91, 6, 1) designs with multiplier automorphisms (1–3) 265–268
Jungnickel, D., see Arasu, K.T. (1–3) 25– 38
Jungnickel, D., R.C. Mullin and S.A. Vanstone, The spectrum of α-resolvable block designs with block size 3 (1–3) 269–277
Kuriki, S., see Fuji-Hara, R. (1–3) 167–176
Lamken, E.R., On near generalized balanced tournament designs (1–3) 279–294
Lenz, H. and G. Ringel, A brief review on Egmont Köhler's mathematical work (1–3) 3– 16

Marino, M.C. and R.S. Rees, On parallelism in Steiner systems (1–3) 295–300
Mendelsohn, E. and N. Shalaby, Skolem labelled graphs (1–3) 301–317
Milazzo, F., see Gionfriddo, M. (1–3) 191–198
Mullin, R.C., see Jungnickel, D. (1–3) 269–277
Nonay, G.M., see Horton, J.D. (1–3) 251–264
Pfaff, O., On the simplicity of ·2 and ·3 (1–3) 319–331
Phelan, J.S., see Grannell, M.J. (1–3) 199–202
Phelps, K.T., A class of 2-chromatic SQS(22) (1–3) 333–338
Piotrowski, W.L., The solution of the bipartite analogue of the Oberwolfach problem (1–3) 339–356
Pott, A., see Arasu, K.T. (1–3) 25– 38
Pott, A., see Arasu, K.T. (1–3) 39– 45
Rees, R.S., see Marino, M.C. (1–3) 295–300
Rees, R. and W.D. Wallis, The spectrum of maximal sets of one-factors (1–3) 357–369
Ringel, G., see Lenz, H. (1–3) 3– 16
Rodger, C.A., see Colbourn, C.J. (1–3) 139–148
Royle, G.F., see Chee, Y.M. (1–3) 93–100
Schellenberg, P.J., see Hoffman, D.G. (1–3) 243–250
Schulz, R.-H., A note on check character systems using Latin squares (1–3) 371–375
Shalaby, N., see Mendelsohn E. (1–3) 301–317
Shen, H., see Bennett, F.E. (1–3) 47– 57
Siemon, H., On the existence of cyclic Steiner Quadruple Systems SQS($2p$) (1–3) 377–385
Stinson, D.R., Designs constructed from maximal arcs (1–3) 387–393
Szőnyi, T., see Hirschfeld, J.W.P. (1–3) 229–242
Tonchev, V.D., see Janko, Z. (1–3) 265–268
Vacirca, V., see Gionfriddo, M. (1–3) 191–198
Vanstone, S.A., see Jungnickel, D. (1–3) 269–277
Vijayan, K., see Caccetta, L. (1–3) 69– 81
Voigt, M. and H. Walther, On the chromatic number of special distance graphs (1–3) 395–397
Wallis, W.D., see Rees, R. (1–3) 357–369
Walther, H., see Voigt, M. (1–3) 395–397
Wilbrink, H., see Blokhuis, A. (1–3) 63– 68
Zeitler, H., About special classes of Steiner systems $S(2, 4, v)$ (1–3) 399–407
Zhang, X., see Zhu, L. (1–3) 409–417
Zhu, L., B. Du and X. Zhang, A few more RBIBDs with $k = 5$ and $\lambda = 1$ (1–3) 409–417